

G240514A

ORIGINAL

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                        |                                                    |                                 |             |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------------------------|-------------|
| 1. Exporter's Name and Address, Country                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                            | CERTIFICATE NO. F247666145590009                                                                                                                                                                                                                                                                                                                                       |                                                    |                                 |             |
| 2. Consignee's Name and Address, Country                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                            | <b>CERTIFICATE OF ORIGIN</b><br><b>CHINA-PAKISTAN FTA</b><br>(Combined Declaration and Certificate)<br><br>Issued in <u>THE PEOPLE'S REPUBLIC OF CHINA</u><br>(Country)<br><br>See Instructions Overleaf                                                                                                                                                               |                                                    |                                 |             |
| 3. Producer's Name and Address, Country                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                        |                                                    |                                 |             |
| 4. Means of transport and route (as far as known)<br><br>Departure Date <u>JUN. 30, 2024</u><br><br>Vessel /Flight/Train/Vehicle No. <u>UNION GLORY/24157</u><br><br>Port of loading <u>JINGTANG PORT IN CHINA</u><br><br>Port of discharge <u>KARACHI PORT, PAKISTAN</u>                                                                                                                                                                                                                                    |                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                        |                                                    |                                 |             |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                            | 5. For Official Use Only <u>Verification: origin.customs.gov.cn</u><br><br><input type="checkbox"/> Preferential Treatment Given Under China-Pakistan FTA Free Trade Area Preferential Tariff<br><br><input type="checkbox"/> Preferential Treatment Not Given (Please state reason/s)<br><br>Signature of Authorized Signatory of the importing Country               |                                                    |                                 |             |
| 6. Item number                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 7. Marks and numbers on packages; Number and kind of packages; description of goods; HS code of the importing country                                                                                      | 8. Origin Criterion                                                                                                                                                                                                                                                                                                                                                    | 9. Gross Weight, Quantity and FOB value            | 10. Number and date of invoices | 11. Remarks |
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | SIXTY THREE (63) PIECES OF PRIME HOT ROLLED STEEL PLATES STEEL GRADE: A516 GR70<br>HS CODE: 7208.51<br>DOCUMENTARY CREDIT NUMBER: LCSP953502462-24<br>***<br><br>Marks and numbers on packages:<br><br>N/M | "P"                                                                                                                                                                                                                                                                                                                                                                    | 242.140MT N.W.<br>242.140MT G.W.<br>USD: 139956.92 | 24XS-CK-0509-2<br>JUN. 18, 2024 | *****       |
| 12. Declaration by the exporter<br><br>The undersigned hereby declares that the above details and statement are correct: that all the goods were produced in<br><br>.....<br>(Country)<br><br>and that they comply with the origin requirements specified for these goods in the China-Pakistan Free Trade Area Preferential Tariff for the goods exported to<br><br>PAKISTAN<br>(Importing country)<br><br>Shijiazhuang, China, JUL 23, 2024<br>Place and date, signature and stamp of authorized signatory |                                                                                                                                                                                                            | 13. Certification<br><br>It is hereby certified, on the basis of control carried out, that the declaration by the exporter is correct.<br><br>ISSUED RETROACTIVELY<br><br><br><br>Shijiazhuang, China, JUL 23, 2024<br>Place and date, signature and stamp of certifying authority |                                                    |                                 |             |

2030059

产品质量证明书  
MILL TEST CERTIFICATE

中国河北省唐山市乐亭县王滩镇  
Wangtan, Laoting, Tangshan Hebei  
Sales Tel: +86 0315-4958677  
Sales Tel: +86 0315-4958137  
After-sales Service Tel: +86 0315-4958310  
240703H01191

|                       |                               |                       |                                                                          |                            |                 |
|-----------------------|-------------------------------|-----------------------|--------------------------------------------------------------------------|----------------------------|-----------------|
| 客户名称<br>CUSTOMER      |                               | 产品名称<br>PRODUCT       | 中低温压力容器碳素钢板<br>Pressure Vessel Plates for Moderate and Lower Temperature |                            |                 |
| 收货单位<br>PURCHASER     |                               | 客户编号<br>CUSTOMER NO.  | 3000160                                                                  | 证书编号<br>CERTIFICATE NO.    | 240703H01191    |
| 执行标准<br>SPECIFICATION | ASTM A516/A516M-17; A516 Gr70 | 出货单号<br>DELIVERY NO.  | 124070002                                                                | 证书日期<br>T/C ISSUE DATE     | 20240703        |
|                       |                               | 交货日期<br>SHIPPING DATE |                                                                          | 交货状态<br>DELIVERY CONDITION | AR-HPR 热轧       |
| 牌号<br>TRADE NO.       | A516 Gr70                     | 订单编号<br>ORDER NO.     | 1000197834                                                               | 合同号<br>CONTRACT NO.        | 24XS-CK-0509(2) |

| 批次号<br>SAMPLE NO. | 炉号<br>HEAT NO. | 尺寸与规格 PRODUCT DESCRIPTION   |           |             | 化学成份 (熔炼分析)<br>CHEMICAL ANALYSIS (SMELTING ANALYSIS) % |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      | A1 拉伸试验<br>G. L. = A200mm |            |          |
|-------------------|----------------|-----------------------------|-----------|-------------|--------------------------------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|---------------------------|------------|----------|
|                   |                |                             |           |             | C                                                      | Mn                   | S                    | P                    | Si                   | Nb                   | V                    | Ti                   | Cu                   | Cr                   | Ni                   | Mo                   | B                    | Als                  | Ceq                  | 屈服<br>Y.S.                | 抗拉<br>T.S. | 伸长<br>EL |
|                   |                | 尺寸(厚×宽×长)<br>DIMENSION (mm) | 数量<br>PCS | 重量<br>T.O.N | <sup>-3</sup><br>X10                                   | <sup>-2</sup><br>X10 | <sup>-3</sup><br>X10 | <sup>-3</sup><br>X10 | <sup>-3</sup><br>X10 | <sup>-3</sup><br>X10 | <sup>-4</sup><br>X10 | <sup>-3</sup><br>X10 | <sup>-4</sup><br>X10 | <sup>-3</sup><br>X10 | <sup>-4</sup><br>X10 | <sup>-4</sup><br>X10 | <sup>-4</sup><br>X10 | <sup>-3</sup><br>X10 | <sup>-2</sup><br>X10 | N/mm <sup>2</sup>         |            | %        |
| 240530X111        | 4L04870        | 18 X2500 X12000             | 2         | 8.550       | 16                                                     | 136                  | 3                    | 16                   | 21                   | 3                    | 45                   | 2                    | 99                   | 28                   | 58                   | 5                    | 6                    | 27                   | 39                   | 385                       | 515        | 26.0     |
| 240530X113        | 4L04869        | 18 X2500 X12000             | 6         | 25.657      | 16                                                     | 137                  | 3                    | 23                   | 20                   | 3                    | 50                   | 2                    | 97                   | 26                   | 60                   | 1                    | 6                    | 23                   | 40                   | 380                       | 510        | 26.0     |
| 240530X134        | 4L04868        | 16 X2500 X12000             | 3         | 11.295      | 16                                                     | 139                  | 6                    | 18                   | 18                   | 2                    | 38                   | 2                    | 66                   | 26                   | 51                   | 30                   | 6                    | 22                   | 40                   | 365                       | 510        | 27.0     |
|                   |                | TOTAL:                      | 11        | 45.502      |                                                        |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                           |            |          |

240530X111 产品号 (PRODUCT NO.): 4530CY011R 4530CY012R

240530X113 产品号 (PRODUCT NO.): 4530CY015R 4530CY016R 4530CY025R 4530CY026R 4530CY065R 4530CY066R

240530X134 产品号 (PRODUCT NO.): 4530CY126R 4530CY127R 4530CY128R

注释  
NOTES

Ceq=C+Mn/6+(Cr+V+Mo)/5+(Cu+Ni)/15  
G. L= Gauge Length A=5.65 √ So  
Y.S= Yield Strength (Rp0.2 or Rt0.5)  
T.S= Tensile Strength  
E.L= Percentage Elongation After Fracture

兹证明本文所列产品, 均依材料标准制造及试验, 并符合标准之要求。

WE HEREBY CERTIFY THAT MATERIAL DESCRIBED HEREIN HAS BEEN MANUFACTURED AND TESTED WITH SATISFACTORY  
RESULTS IN ACCORDANCE WITH THE REQUIREMENT OF THE ABOVE MATERIAL SPECIFICATION.



质量证明专用章

张锦兴

成品质量负责人  
CHIEF OF INSPECTOR

产品质量证明书  
MILL TEST CERTIFICATE中国河北省唐山市乐亭县王滩镇  
Wangtan, Luoting, Tangshan Hebei  
Sales Tel: +86 0315-4958677  
Sales Tel: +86 0315-4958137  
After-sales Service Tel: +86 0315-4958310  
240703H01190

|                       |                               |                       |                                                                          |                            |                 |
|-----------------------|-------------------------------|-----------------------|--------------------------------------------------------------------------|----------------------------|-----------------|
| 客户名称<br>CUSTOMER      |                               | 产品名称<br>PRODUCT       | 中低温压力容器碳素钢板<br>Pressure Vessel Plates for Moderate and Lower Temperature |                            |                 |
| 收货单位<br>PURCHASER     |                               | 客户编号<br>CUSTOMER NO.  | 3000160                                                                  | 证书编号<br>CERTIFICATE NO.    | 240703H01190    |
| 执行标准<br>SPECIFICATION | ASTM A516/A516M-17; A516 Gr70 | 出货单号<br>DELIVERY NO.  | T24070002                                                                | 证书日期<br>T/C ISSUE DATE     | 20240703        |
|                       |                               | 交运日期<br>SHIPPING DATE |                                                                          | 交货状态<br>DELIVERY CONDITION | AR-DR-热轧        |
| 牌号<br>TRADE NO.       | A516 Gr70                     | 订单编号<br>ORDER NO.     | 1000197834                                                               | 合同号<br>CONTRACT NO.        | 24XS-CK-0509(2) |

| TRADE NO.                                                                                                                                                                                                                 |                                                                                                                                                                                   | 化学成份 (熔炼分析)<br>CHEMICAL ANALYSIS (SMELTING ANALYSIS) % |           |           |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      | A1 拉伸试验<br>G. L. =A200mm |            |          |                                      |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|-----------|-----------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|--------------------------|------------|----------|--------------------------------------|--|
| 批次号<br>SAMPLE NO.                                                                                                                                                                                                         | 炉号<br>HEAT NO.                                                                                                                                                                    | 尺寸与规格 PRODUCT DESCRIPTION                              |           |           | C                    | Mn                   | S                    | P                    | Si                   | Nb                   | V                    | Ti                   | Cu                   | Cr                   | Ni                   | Mo                   | B                    | Als                  | Ceq                  | 屈服<br>Y.S.               | 抗拉<br>T.S. | 伸长<br>EL |                                      |  |
|                                                                                                                                                                                                                           |                                                                                                                                                                                   | 尺寸(厚×宽×长)<br>DIMENSION (mm)                            | 数量<br>PCS | 重量<br>TON | <sup>-3</sup><br>X10 | <sup>-2</sup><br>X10 | <sup>-3</sup><br>X10 | <sup>-3</sup><br>X10 | <sup>-2</sup><br>X10 | <sup>-3</sup><br>X10 | <sup>-3</sup><br>X10 | <sup>-3</sup><br>X10 | <sup>-3</sup><br>X10 | <sup>-4</sup><br>X10 | <sup>-3</sup><br>X10 | <sup>-4</sup><br>X10 | <sup>-4</sup><br>X10 | <sup>-4</sup><br>X10 | <sup>-3</sup><br>X10 | <sup>-2</sup><br>X10     | N/mm2      | %        |                                      |  |
|                                                                                                                                                                                                                           |                                                                                                                                                                                   |                                                        |           |           |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                          |            |          |                                      |  |
| 240530X122                                                                                                                                                                                                                | 4L04871                                                                                                                                                                           | 22 X2500 X12000                                        | 7         | 36.583    | 16                   | 136                  | 4                    | 20                   | 18                   | 2                    | 37                   | 3                    | 64                   | 22                   | 56                   | 38                   | 6                    | 30                   | 39                   | 415                      | 540        | 21.0     |                                      |  |
| 240530X123                                                                                                                                                                                                                | 4L04871                                                                                                                                                                           | 22 X2500 X12000                                        | 3         | 15.651    | 16                   | 136                  | 4                    | 20                   | 18                   | 2                    | 37                   | 3                    | 64                   | 22                   | 56                   | 38                   | 6                    | 30                   | 39                   | 400                      | 530        | 20.0     |                                      |  |
| 240530X121                                                                                                                                                                                                                | 4L04870                                                                                                                                                                           | 22 X2500 X12000                                        | 4         | 20.850    | 16                   | 136                  | 3                    | 16                   | 21                   | 3                    | 45                   | 2                    | 99                   | 28                   | 58                   | 5                    | 6                    | 27                   | 39                   | 390                      | 520        | 27.0     |                                      |  |
| 240530X127                                                                                                                                                                                                                | 4L04869                                                                                                                                                                           | 16 X2500 X12000                                        | 9         | 34.020    | 16                   | 137                  | 3                    | 23                   | 20                   | 3                    | 50                   | 2                    | 97                   | 26                   | 60                   | 1                    | 6                    | 23                   | 40                   | 380                      | 515        | 20.0     |                                      |  |
| 240530X130                                                                                                                                                                                                                | 4L04868                                                                                                                                                                           | 16 X2500 X12000                                        | 12        | 45.210    | 16                   | 139                  | 6                    | 18                   | 18                   | 2                    | 38                   | 2                    | 66                   | 26                   | 51                   | 30                   | 6                    | 22                   | 40                   | 370                      | 505        | 24.0     |                                      |  |
|                                                                                                                                                                                                                           |                                                                                                                                                                                   | TOTAL:                                                 | 35        | 152.313   |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                          |            |          |                                      |  |
| 240530X122                                                                                                                                                                                                                | 产品号 (PRODUCT NO.): 4530CY069R 4530CY077R 4530CY078R 4530CY083R 4530CY084R 4530CY087R 4530CY088R                                                                                   |                                                        |           |           |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                          |            |          |                                      |  |
| 240530X123                                                                                                                                                                                                                | 产品号 (PRODUCT NO.): 4530CY085R 4530CY086R 4530CY142R                                                                                                                               |                                                        |           |           |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                          |            |          |                                      |  |
| 240530X124                                                                                                                                                                                                                | 产品号 (PRODUCT NO.): 4530CY091R 4530CY092R 4530CY110R 4530CY141R                                                                                                                    |                                                        |           |           |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                          |            |          |                                      |  |
| 240530X127                                                                                                                                                                                                                | 产品号 (PRODUCT NO.): 4530CY099R 4530CY100R 4530CY101R 4530CY102R 4530CY103R 4530CY104R 4530CY108R 4530CY109R 4530CY110R                                                             |                                                        |           |           |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                          |            |          |                                      |  |
| 240530X130                                                                                                                                                                                                                | 产品号 (PRODUCT NO.): 4530CY105R 4530CY106R 4530CY107R 4530CY117R 4530CY118R 4530CY119R 4530CY120R 4530CY121R 4530CY122R 4530CY135R 4530CY136R 4530CY137R                            |                                                        |           |           |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                          |            |          |                                      |  |
| 注释<br>NOTES                                                                                                                                                                                                               | Ceq=C+Mn/6+(Cr+V+Mo)/5+(Cu+Ni)/15<br>G. L= Gauge Length A=5.65√So<br>Y. S= Yield Strength(Rp0.2 or Rt0.5)<br>T. S= Tensile Strength<br>E. L= Percentage Elongation After Fracture |                                                        |           |           |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                          |            |          |                                      |  |
| 兹证明本文所列产品, 均依材料标准制造及试验, 并符合标准之要求。<br>WE HEREBY CERTISFY THAT MATERIAL DESCRIBED HEREIN HAS BEEN MANUFACTURED AND TESTED WITH SATISFACTORY RESULTS IN ACCORDANCE WITH THE REQUIREMENT OF THE ABOVE MATERIAL SPECIFICATION. |                                                                                                                                                                                   |                                                        |           |           |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                          |            |          |                                      |  |
|                                                                                                                                                                                                                           |                                                                                                                                                                                   |                                                        |           |           |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      |                      | 质量证明专用章                  |            |          | 张锦兴<br>成品质量负责人<br>CHIEF OF INSPECTOR |  |

产品质量证明书  
MILL TEST CERTIFICATE中国河北省唐山市乐亭县王滩镇  
Wangtan, Laoting, Tangshan Hebei  
Sales Tel: +86 0315-4958677  
Sales Tel: +86 0315-4958137  
After-sales Service Tel: +86 0315-4958310  
240703H01189

|                       |                               |                       |                                                                          |                            |                 |
|-----------------------|-------------------------------|-----------------------|--------------------------------------------------------------------------|----------------------------|-----------------|
| 客户名称<br>CUSTOMER      |                               | 产品名称<br>PRODUCT       | 中低温压力容器碳素钢板<br>Pressure Vessel Plates for Moderate and Lower Temperature |                            |                 |
| 收货单位<br>PURCHASER     |                               | 客户编号<br>CUSTOMER NO.  | 3000160                                                                  | 证明书编号<br>CERTIFICATE NO.   | 240703H01189    |
| 执行标准<br>SPECIFICATION | ASTM A516/A516M-17; A516 Gr70 | 出货单号<br>DELIVERY NO.  | T24070002                                                                | 证明书日期<br>T/C ISSUE DATE    | 20240703        |
|                       |                               | 交运日期<br>SHIPPING DATE |                                                                          | 交货状态<br>DELIVERY CONDITION | AR-HPR-热轧       |
| 牌号<br>TRADE NO.       | A516 Gr70                     | 订单编号<br>ORDER NO.     | 1000197834                                                               | 合同号<br>CONTRACT NO.        | 24XS-CK-0509(2) |

| 批次号<br>SAMPLE NO. | 炉号<br>HEAT NO. | 尺寸与规格 PRODUCT DESCRIPTION   |           |           | 化学成份 (熔炼分析)<br>CHEMICAL ANALYSIS (SMELTING ANALYSIS) % |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  | A1 拉伸试验<br>G. L. = A200mm |            |          |
|-------------------|----------------|-----------------------------|-----------|-----------|--------------------------------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---------------------------|------------|----------|
|                   |                |                             |           |           | C                                                      | Mn               | S                | P                | Si               | Nb               | V                | Ti               | Cu               | Cr               | Ni               | Mo               | B                | Ceq              | Als              | 屈服<br>Y.S.                | 抗拉<br>T.S. | 伸长<br>EL |
|                   |                | 尺寸(厚×宽×长)<br>DIMENSION (mm) | 数量<br>PCS | 重量<br>TON | $\times 10^{-2}$                                       | $\times 10^{-2}$ | $\times 10^{-3}$ | $\times 10^{-3}$ | $\times 10^{-2}$ | $\times 10^{-3}$ | $\times 10^{-4}$ | $\times 10^{-3}$ | $\times 10^{-4}$ | $\times 10^{-3}$ | $\times 10^{-4}$ | $\times 10^{-4}$ | $\times 10^{-4}$ | $\times 10^{-2}$ | $\times 10^{-3}$ | N/mm <sup>2</sup>         |            | %        |
| 240531X352        | 4L04909        | 10X2500X12000               | 9         | 21.525    | 17                                                     | 139              | 7                | 15               | 18               | 1                | 37               | 1                | 75               | 25               | 59               | 0                | 5                | 41               | 25               | 405                       | 530        | 22.0     |
| 240531X362        | 4L04867        | 12X2500X12000               | 8         | 22.800    | 17                                                     | 137              | 5                | 19               | 20               | 2                | 41               | 3                | 64               | 25               | 52               | 32               | 6                | 41               | 31               | 370                       | 520        | 24.0     |
|                   |                | TOTAL:                      | 17        | 44.325    |                                                        |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                           |            |          |

240531X352 产品号 (PRODUCT NO.): 4531DY475R 4531DY476R 4531DY479R 4531DY480R 4531DY481R 4531DY482R 4531DY483R 4531DY485R 4531DY486R

240531X362 产品号 (PRODUCT NO.): 4531DY520R 4531DY521R 4531DY522R 4531DY529R 4531DY530R 4531DY531R 4531DY532R 4531DY533R

|             |                                                                                                                                                                                                                |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 注释<br>NOTES | $Ceq = C + Mn/6 + (Cr + V + Mo)/5 + (Cu + Ni)/15$<br>G. L = Gauge Length A=5.65 $\sqrt{S_0}$<br>Y.S = Yield Strength (Rp0.2 or Rt0.5)<br>T.S = Tensile Strength<br>E. L = Percentage Elongation After Fracture |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

兹证明本文所列产品, 均依材料标准制造及试验, 并符合标准之要求。  
 WE HEREBY CERTIFY THAT MATERIAL DESCRIBED HEREIN HAS BEEN MANUFACTURED AND TESTED WITH SATISFACTORY  
 RESULTS IN ACCORDANCE WITH THE REQUIREMENT OF THE ABOVE MATERIAL SPECIFICATION.



质量证明专用章

张锦兴

成品质量负责人  
CHIEF OF INSPECTOR